Class- VIII
Month- October -2026
Topics: Stylish Websites, Made Simple Exploring HTML and CSS

I. Answer the following (Short Answer)

1. What is inline CSS used for?

Ans: * CSS style attributes are written inside the HTML elements like heading, paragraph.

* Inline CSS used for styling with font color, font families, font size, alignment, background color, border, margin.

2. What is the difference between inline CSS and external CSS?

Ans: * Inline CSS is used to apply styles directly to an HTML element using the style attribute
< HTML-tag style = " property: value; ">

* External CSS method uses a document called a stylesheet to apply a uniform style across multiple web pages for the specified elements types.

Scanned with OKEN Scanner

3. What is the function of the "href" attribute?

Ans: The <a> tag, known as the anchor tag, is used to add hyperlinks. It requires an href arribute to specify the link address. We also need to type the text which will be visible in the Web page.

Visible text

II. Long Answer

1. Define Container tags and Empty tags with two examples each.

Ans: Container tags:-

A paired tag has an Opening tag, a closing tag, and content in between. They are also known as Container tags.

Empty tags:-

It has only one tag, and are known as Unpaired, or empty tags. Unpaired tags are tags that do not require a closing tag.

Example for Container tags

* <HTML>.... </HTML>
* <HEAD>.... </HEAD>
* <TITLE>.... </TITLE>

Scanned with OKEN Scanner

PAGE:
DATE : /

<BODY>.... </BODY>
<H1> .... </H1>
 ....
<a> ...

Example for empty tags

<!DOCTYPE html>

<hr>
<img>

III. Competency - based Questions

1. A Student creates a page where the image does not load, leaving users confused. Which attribute should they add to solve this?

Ans: The alt attribute should be added to the <img> tag.

Scanned with OKEN Scanner